SAFETY DATA SHEET

1. Identification

Product identifier 8-4-16 Endurance

Other means of identification

30070 **Product code**

Recommended use Agricultural/ Horticultural Use- Micronutrient Fertilizer- Refer to product label.

Refer to product label. **Recommended restrictions** Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Grigg Bros. P.O. Box 125 **Address** Albion, ID 83311

United States

Telephone Office 208-673-6340

208-673-6342 Fax

www.griggbros.com Website E-mail Not available. 1-888-246-8873 **Emergency phone number**

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

> Serious eye damage/eye irritation Category 2B

Environmental hazards Not classified. Not classified. **OSHA** defined hazards

Label elements

None. Hazard symbol Signal word Warning

Hazard statement Causes eye irritation.

Precautionary statement

Prevention Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and Response

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Store away from incompatible materials. Storage

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Calcium Carbonate		471-34-1	10 - < 20*
Urea		57-13-6	10 - < 20*
Humic Acid Ore / Leonardite		129521-66-0	5 - < 10*
Calcium Sulfate, dihydrate (Gypsum)		7778-18-9	< 1*
Manganese(II) Oxide		1344-43-0	< 1*

Chemical name	Common name and synonyms	CAS number	%
Zinc Oxide		1314-13-2	< 1*
Manganese Sulfate, monohydrate		10034-96-5	< 0.3*
Sulfuric acid, zinc salt (1:1)		7733-02-0	< 0.3*
Calcium Oxide		1305-78-8	< 0.1*
Other components below reportable	levels		70 - < 80

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation If dust from the material is inhaled, remove the affected person immediately to fresh air. Call a

physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Most important

symptoms/effects, acute and delayed

Exposed individuals may experience eye tearing, redness, and discomfort. Irritation of eyes.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting Use water spray to cool unopened containers.

equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

Specific methods

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Avoid inhalation of dust from the spilled material. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Stop the flow of material, if this is without risk. Dike far ahead of spill for later disposal. If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. Collect dust using a vacuum cleaner equipped with HEPA filter. Following product recovery, flush area with water. Sweep up or vacuum up spillage and collect in suitable container for disposal. Minimize dust generation and accumulation. Prevent entry into waterways, sewer, basements or confined areas. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Avoid breathing dust. Avoid contact with eyes. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Practice good housekeeping.

Material name: 8-4-16 Endurance SDS US 2/9

8. Exposure controls/personal protection

Occupational exposure limits

JS. OSHA Table Z-1 Limits for Air Components	Type	Value	Form
Calcium Carbonate (CAS .71-34-1)	PEL	5 mg/m3	Respirable fraction.
71-34-1) alcium Oxide (CAS	PEL	15 mg/m3 5 mg/m3	Total dust.
305-78-8) Calcium Sulfate, dihydrate	PEL	5 mg/m3	Respirable fraction.
Gypsum) (CAS 7778-18-9) Manganese Sulfate,	Ceiling	15 mg/m3 5 mg/m3	Total dust.
nonohydrate (CAS 0034-96-5)	Centry	3 mg/m3	
Manganese(II) Oxide (CAS 344-43-0)	Ceiling	5 mg/m3	
inc Oxide (CAS 314-13-2)	PEL	5 mg/m3	Respirable fraction.
,		5 mg/m3 15 mg/m3	Fume. Total dust.
IS. ACGIH Threshold Limit Values Components	Туре	Value	Form
Calcium Oxide (CAS	TWA	2 mg/m3	
305-78-8) Calcium Sulfate, dihydrate Gypsum) (CAS 7778-18-9)	TWA	10 mg/m3	Inhalable fraction.
Manganese Sulfate, nonohydrate (CAS 0034-96-5)	TWA	0.1 mg/m3	Inhalable fraction.
Manganese(II) Oxide (CAS 344-43-0)	TWA	0.02 mg/m3 0.1 mg/m3	Respirable fraction. Inhalable fraction.
Zinc Oxide (CAS	STEL	0.02 mg/m3 10 mg/m3	Respirable fraction. Respirable fraction.
314-13-2)	TWA	2 mg/m3	Respirable fraction.
JS. NIOSH: Pocket Guide to Chem			-
Components	Туре	Value	Form
Calcium Carbonate (CAS 71-34-1)	TWA	5 mg/m3	Respirable.
Calcium Oxide (CAS 305-78-8)	TWA	10 mg/m3 2 mg/m3	Total
Calcium Sulfate, dihydrate Gypsum) (CAS 7778-18-9)	TWA	5 mg/m3	Respirable.
		10 mg/m3	Total
Manganese Sulfate, nonohydrate (CAS 0034-96-5)	STEL	3 mg/m3	Fume.
•	TWA	1 mg/m3	Fume.
langanese(II) Oxide (CAS 344-43-0)	STEL	3 mg/m3	Fume.
inc Oxide (CAS	TWA Ceiling	1 mg/m3 15 mg/m3	Fume. Dust.
1314-13-2)			
	STEL	10 mg/m3	Fume.
2,	STEL TWA	10 mg/m3 5 mg/m3 5 mg/m3	Fume. Fume. Dust.

Material name: 8-4-16 Endurance 30070 Version #: 01 Issue date: 12-27-2016 US. AIHA Workplace Environmental Exposure Level (WEEL) Guides

Value Components Type Urea (CAS 57-13-6) **TWA** 10 mg/m3 Total particulate.

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Ventilation should be sufficient to effectively remove and prevent buildup of any dusts or fumes that may be generated during handling or thermal processing. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. Provide eyewash station.

Form

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Use tight fitting goggles if dust is generated.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Wear suitable protective clothing. Other

Respiratory protection Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels

exceeding the exposure limits. Respiratory protection not required.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Solid. Powder. **Form** Color Not available. Not available. Odor **Odor threshold** Not available. Not available. pН

270.86 °F (132.7 °C) estimated Melting point/freezing point Initial boiling point and boiling 1517 °F (825 °C) estimated

range

Not available. Flash point **Evaporation rate** Not available. Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available.

Vapor pressure 0.00001 hPa estimated

Vapor density Not available.

Relative density 1.702 g/cm3 estimated

Solubility(ies)

Solubility (water) Not available. Not available. **Partition coefficient**

(n-octanol/water)

Auto-ignition temperature Not available. **Decomposition temperature** Not available. Not available. **Viscosity**

Other information

Density 2.15 g/cm3 estimated Specific gravity 2.15 estimated

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials. Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Acids. Fluorine. Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful. Inhalation of dusts may cause respiratory irritation.

Skin contact No adverse effects due to skin contact are expected. Causes eye irritation. Dust in the eyes will cause irritation. Eye contact

Expected to be a low ingestion hazard. Ingestion

Species

Symptoms related to the physical, chemical and

toxicological characteristics Exposed individuals may experience eye tearing, redness, and discomfort. Irritation of eyes.

Test Results

Information on toxicological effects

Acute toxicity

Product

Product	Species	rest Results
8-4-16 Endurance		
<u>Acute</u>		
Dermal		
LD50	Rat	5148 mg/kg estimated
Inhalation		
LC50	Mouse	1439 mg/l, 4 Hours estimated
	Rat	12625 mg/m³ estimated
		3.9 mg/l, 192 hours estimated
Oral		
LD50	Mouse	16930 mg/kg estimated
	Rat	4890 mg/kg estimated
Components	Species	Test Results
Calcium Carbonate (CAS 4	171-34-1)	
<u>Acute</u>		
Oral		
LD50	Mouse	6450 mg/kg
	Rat	6450 mg/kg
Manganese Sulfate, monoh	hydrate (CAS 10034-96-5)	
<u>Acute</u>		
Oral		
LD100	Mouse	305 mg/kg
Sulfuric acid, zinc salt (1:1)) (CAS 7733-02-0)	
<u>Acute</u>		
Dermal		
LD50	Rat	> 2000 mg/kg

Material name: 8-4-16 Endurance 30070 Version #: 01 Issue date: 12-27-2016

Components	Species	Test Results
Oral		
LD50	Mouse	57 mg/kg
	Rat	623 mg/kg
Urea (CAS 57-13-6)		
<u>Acute</u>		
Oral		
LD50	Rat	8471 mg/kg
	Sheep	28500 mg/kg
Zinc Oxide (CAS 1314-13-2))	
<u>Acute</u>		
Inhalation		
LC50	Mouse	> 5.7 mg/l, 4 Hours
Oral		
LD50	Mouse	7950 mg/kg
	Rat	> 5 g/kg

^{*} Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye Dust in the eyes will cause irritation. Causes eye irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity - single exposure Not classified.

Specific target organ

toxicity - repeated

exposure

Not classified.

Aspiration hazard Not available.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product		Species	Test Results
8-4-16 Endurance			
Aquatic			
Crustacea	EC50	Daphnia	2435.1265 mg/l, 48 hours estimated
Fish	LC50	Fish	2644.4922 mg/l, 96 hours estimated

Material name: 8-4-16 Endurance SDS US Components Species Test Results

Calcium Carbonate (CAS 471-34-1)

Aquatic

Fish LC50 Western mosquitofish (Gambusia affinis) > 56000 mg/l, 96 hours

Calcium Sulfate, dihydrate (Gypsum) (CAS 7778-18-9)

Aquatic

Fish LC50 Fathead minnow (Pimephales promelas) > 1970 mg/l, 96 hours

Manganese Sulfate, monohydrate (CAS 10034-96-5)

Aquatic

Crustacea EC50 Water flea (Daphnia obtusa) 30.8 - 44.1 mg/l, 48 hours

Fish LC50 Fathead minnow (Pimephales promelas) 36.9 mg/l, 96 hours

29.7 - 52.7 mg/l, 192 hours

Sulfuric acid, zinc salt (1:1) (CAS 7733-02-0)

Aquatic

Crustacea EC50 Rotifer (Philodina acuticornis) 0.3 mg/l, 48 hours
Fish LC50 Rainbow trout,donaldson trout 0.162 mg/l, 96 hours

(Oncorhynchus mykiss)

Urea (CAS 57-13-6)

Aquatic

Crustacea EC50 Water flea (Daphnia magna) 3910 mg/l, 48 hours
Fish LC50 Carp (Leuciscus idus melanotus) > 10000 mg/l, 48 hours

Guppy (Poecilia reticulata) 16200 - 18300 mg/l, 96 hours

Harlequinfish, red rasbora (Rasbora

Mozambique tilapia (Tilapia

heteromorpha)

590 - 730 mg/l, 96 hours

12000 mg/l, 96 hours

mossambica)

Zinc Oxide (CAS 1314-13-2)

Aquatic

Fish LC50 Fathead minnow (Pimephales promelas) 2246 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential Not available.

Partition coefficient n-octanol / water (log Kow)

Urea -2.11

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulationsDispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

^{*} Estimates for product may be based on additional component data not shown.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Manganese Sulfate, monohydrate (CAS 10034-96-5)

Manganese(II) Oxide (CAS 1344-43-0)

Sulfuric acid, zinc salt (1:1) (CAS 7733-02-0)

Zinc Oxide (CAS 1314-13-2)

Listed.

Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Manganese Sulfate, monohydrate (CAS 10034-96-5)

Manganese(II) Oxide (CAS 1344-43-0)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. Massachusetts RTK - Substance List

Calcium Carbonate (CAS 471-34-1)

Calcium Oxide (CAS 1305-78-8)

Calcium Sulfate, dihydrate (Gypsum) (CAS 7778-18-9)

Sulfuric acid, zinc salt (1:1) (CAS 7733-02-0)

Zinc Oxide (CAS 1314-13-2)

US. New Jersey Worker and Community Right-to-Know Act

Calcium Carbonate (CAS 471-34-1)

Calcium Oxide (CAS 1305-78-8)

Calcium Sulfate, dihydrate (Gypsum) (CAS 7778-18-9)

Manganese Sulfate, monohydrate (CAS 10034-96-5)

Manganese(II) Oxide (CAS 1344-43-0)

Sulfuric acid, zinc salt (1:1) (CAS 7733-02-0)

Zinc Oxide (CAS 1314-13-2)

US. Pennsylvania Worker and Community Right-to-Know Law

Calcium Carbonate (CAS 471-34-1) Calcium Oxide (CAS 1305-78-8)

Calcium Sulfate, dihydrate (Gypsum) (CAS 7778-18-9)

Sulfuric acid, zinc salt (1:1) (CAS 7733-02-0)

Zinc Oxide (CAS 1314-13-2)

US. Rhode Island RTK

Manganese Sulfate, monohydrate (CAS 10034-96-5)

Manganese(II) Oxide (CAS 1344-43-0) Sulfuric acid, zinc salt (1:1) (CAS 7733-02-0)

Zinc Oxide (CAS 1314-13-2)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

12-27-2016 Issue date

Version #

The information provided in this Safety Data Sheet is correct to the best of Manufacturer's Disclaimer

knowledge, information and belief at the date of its publication; however, it is provided only as a guidance for safe handling, use, processing, storage, transportation, disposal and release of the Product. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made with respect to the Product or the information provided herein, or that the Product or information herein may be used without infringing the intellectual property rights of others. The information provided in this Safety Data Sheet relates only to the specific Product designated and may not be valid if the Product is used in combination with other materials or in any other process, unless specified herein. The user assumes all risk and liability for loss, injury, damage or expense due to any use, handling, storage or disposal of the Product, and Manufacturer recommends that the user conducts its owns tests of

the Product to determine suitability of the Product for user's particular use.

Revision information Product and Company Identification: Alternate Trade Names

Hazard(s) identification: Prevention

GHS: Classification

Material name: 8-4-16 Endurance SDS US